

FIG. 2B




FIG. 3





FIG. 4




FIG. 5

FIG. 6




FIG. 7








FIG. 21



ATTRIBUTE	TYPE OF VALUE	IMPORTANCE
PRICE PER UNIT	CURVE	1.8
REQUIRED POWER PROFILE	CURVE	1.5
PRICE FOR FREQUENCY STABILITY	CURVE	1.2
PRICE FOR OVER/UNDERLOAD	CURVE	1.3
PRICE FOR AVAILABILITY	CURVE	1
REACTIVE POWER	PHASE LIMIT	0.9
NOISE	%	1000
PRICE FOR "PREPARE TO COMMIT INTERVAL"	CURVE	0.8
PRICE FOR MAXIMUM DISTANCE	CURVE	0.5
PRICE FOR LOAD TAKEOVER	CURVE	0.5
"GREEN POWER"	%	0.2
PRICE FOR EARLY START OF DELIVERY	CURVE	0.1
PRICE FOR LOAD RELEASE	CURVE	0.1

FIG. 10

FIG. 11A



X	1	2	3	4
Y	0	1	2	3.5

...

n
0

192

FIG. 11B




FIG. 12





FIG. 13A



PRICE FOR "FREQUENCY STABILITY"

FIG. 13B





FIG. 13C



PRICE FOR "EARLY START OF DELIVERY"

FIG. 13D




FIG. 13E




FIG. 13F




FIG. 13G




FIG. 13H


















FIG. 14A




FIG. 14C

FIG. 14D





PRICE FOR "EARLY START OF DELIVERY" (0.5)



PRICE FOR "EARLY START OF DELIVERY"

